


## Dual Dynamic Monitor Arms on 135 Post



### FEATURES

- Dual display mounting solution to suit most monitors up to 27".
- Upgradeable with AWM-HS Slider accessory for greater flexibility of display positioning. Refer to AWM-HS Technical Specification for details.
- Adjustable counterbalance to suit a wide range of monitors.
- Tension gauge to make installation of multiple arms faster.
- Integrated 180° rotation limiter to prevent interference with desk mounted panels and dividers.
- Generous cable management guides cables discreetly down the arm to the work surface.

#### Display weight

##### Flat display

0-9kg (0 - 20lb)\*

##### Curved display

0-6kg (0 - 13.5lb)\*

#### Display size

Up to 27"

#### Tilt adjustment

+45° / -25°

#### Rotation adjustment

360°

#### Vertical adjustment

368mm (14.49")

#### VESA mounting

75x75 100x100

#### Primary materials

Aluminium, Plastic

\*Monitor weight should be within the weight range of all modular elements that make up the complete monitor mounting solution.



\*Curved monitors, deep devices (such as all-in-one PCs) and offset VESA locations exert additional leverage that can exceed the capacity of the mount even though the monitor weight may be within the stated range. Please contact Atdec if you would like further information.

### WARRANTY



10 years limited

## MOVEMENT - INDICATIVE POSITIONING


### ASYMMETRICAL / PRIMARY & SECONDARY CONFIGURATION





### SYMMETRICAL CONFIGURATION




### FLAT CONFIGURATION



## MOVEMENT - DYNAMIC ARM




## DIMENSIONS - DYNAMIC ARM ON 135 POST



| HEIGHT ON 135 POST<br>*C CLAMP INCREASES<br>MINIMUM HEIGHT ON<br>POST BY 26MM (1") | MIN               | MAX                | RANGE (R)          |
|--|-------------------|--------------------|--------------------|
|  | 132mm*<br>(5.20") | 500mm*<br>(19.68") | 368mm*<br>(14.49") |


## DIMENSIONS - DYNAMIC ARM ON POST




| HEIGHT ON 135 POST<br>*C Clamp increases<br>minimum height on<br>post by 26mm (1") | MIN              | MAX              |
|--|------------------|------------------|
|  | 82mm*<br>(3.23") | 135mm<br>(5.31") |

## DIMENSIONS - DYNAMIC ARM ON POST


POST SIDE ATTACHMENT



POST FRONT ATTACHMENT




## DIMENSIONS - VESA HEAD




## DESK FIXING OPTIONS

Below are the fixing options available for this solution. For more information and detailed specifications for these products please see the separate Technical Specifications available on the Atdec website.  
 Note: Chosen desk fixing must be added to this solution code when ordering.




### BOLT THROUGH AWM-FB






### C CLAMP AWM-FC



### F CLAMP AWM-FF



### HEAVY DUTY F CLAMP AWM-FH



### GROMMET CLAMP AC-GC

